

# 2900 Barrel

## RUST PROOFING SPRAYING EQUIPMENT

The pneumatic transfer pump 2900 BARREL has been built after an experience of over 35 years of Taiver in the field! It is ideal for pumping and transferring self-level liquids and materials, inks, oils, cataphoresis baths, intumescent products and any product with a viscosity up to 100.000 centipoises.

### Performances:

- Available in two versions:
  - \* For 200 ltr drums
  - \* For 60 ltr drums
- High performance Rust Proofing system
- Tungsten carbide valves
- Pumping housing in stainless steel for the maximum quality.
- Ideal for transferring inks
- Particularly suitable for intumescent products in the mechanical industry
- Packing are spring loaded
- No air lubrication required
- No freezing of air motor
- Affordable pricing

### Technical Data:

- |                  |   |
|------------------|---|
| - Motor:         | Pneumatic motor instant volumetric reversal |
| - Ratio:         | 15:1  |
| - Weight:        | 14 Kg                                       |
| - Max. Delivery: | 8 lt/min                                    |
| - Max. Pressure: | 110 Bar                                     |

### Construction specifications:

2900 BARREL uses an avant-garde technology which includes two patents: The instant volumetric reversal of pneumatic motor, that means a very low pressure drop during the reversal, and the simultaneous adjustment of packings. This simultaneous adjustment, depending on the wear, allows a longer life and a better performance of the unit. The piston is hard chrome treated and all the parts in contact with the products are in stainless steel. Very easy maintenance. Tungsten carbide valves.

